

Certificate of Analysis

Produced: Aug 26, 2025

Sample: Broad Spectrum CBG Distillate (Distillate) • Client: Red Mesa Science and Refining • Batch: Pass



Batch No.: R250821MS55
Matrix: Distillate
Sample ID: ICC-250826-21-004
Collected on: Aug 26, 2025
Received on: Aug 26, 2025
Sample Size: 15 g

Batch Result: Pass

Potency	Tested
Solvents	Pass
Metals	Pass
Mycotoxins	Pass
Pesticides	Pass

Cannabinoid Overview

Total THC:	0.151 %
Total CBD:	0.460 %
Total Cannabinoids:	88.1 %
Sum of Cannabinoids:	88.1 %



Cannabinoids

Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
9R-HHC ²	ND	ND	0.0247/0.792	N/A	CBNA ¹	ND	ND	0.140/0.419	N/A
9S-HHC ²	ND	ND	0.0420/0.815	N/A	CBT ¹	4.22	42.2	0.118/0.411	N/A
CBC ¹	4.02	40.2	0.271/0.814	N/A	Δ ⁸ -THC ¹	ND	ND	0.0665/0.411	N/A
CBCA ¹	ND	ND	0.381/1.14	N/A	Δ ⁸ -THC-O-acetate ²	ND	ND	0.0305/0.894	N/A
CBCV ¹	ND	ND	0.118/0.411	N/A	Δ ⁸ -THCP ²	ND	ND	0.0683/0.907	N/A
CBD ¹	0.460	4.60	0.0829/0.411	N/A	Δ ⁸ -THCV ²	ND	ND	0.0173/0.899	N/A
CBDA ¹	ND	ND	0.198/0.595	N/A	Δ ⁹ -THC ¹	0.151	1.51	0.110/0.411	N/A
CBDB ²	ND	ND	0.0372/0.928	N/A	Δ ⁹ -THC-O-acetate ²	ND	ND	0.0280/0.900	N/A
CBDP ²	ND	ND	0.0323/0.925	N/A	Δ ⁹ -THCP ²	ND	ND	0.0482/0.916	N/A
CBDV ¹	0.238	2.38	0.0658/0.411	N/A	HHC-O-acetate ²	ND	ND	0.0508/0.832	N/A
CBDVA ¹	ND	ND	0.216/0.646	N/A	THCA ¹	ND	ND	0.151/0.453	N/A
CBE ²	ND	ND	0.0440/0.930	N/A	THCV ¹	ND	ND	0.0508/0.411	N/A
CBG ¹	78.5	785	0.0937/0.411	N/A	THCVA ¹	ND	ND	0.164/0.493	N/A
CBGA ¹	ND	ND	0.146/0.439	N/A	THD ²	ND	ND	0.0322/0.862	N/A
CBL ¹	0.295	2.95	0.0647/0.411	N/A	Total CBD ^{1**}	0.460	4.60		N/A
CBLA ¹	ND	ND	0.898/2.69	N/A	Total THC ^{1**}	0.151	1.51		N/A
CBN ¹	0.226	2.26	0.0937/0.411	N/A	Total Cannabinoids ^{**}	88.1	881		N/A

¹ POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Expanded Potency // Aug 26, 2025

² POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Comprehensive Cannabinoids // Aug 26, 2025

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*

*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Aug 26, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.168/0.511	Pass	Hexane	290	ND	0.0663/0.282	Pass
Acetone	5000	ND	17.2/51.5	Pass	Isopropyl alcohol	5000	8.86	1.29/3.86	Pass
Acetonitrile	410	ND	0.120/0.360	Pass	Methanol	3000	ND	2.98/8.95	Pass
Benzene	1	ND	0.0211/0.0642	Pass	Methylene chloride	1	ND	0.128/0.732	Pass
Butane	5000	ND	0.975/4.87	Pass	Pentane	5000	ND	0.966/4.29	Pass
Chloroform	1	ND	0.0361/0.108	Pass	Propane	5000	ND	4.45/13.4	Pass
Ethanol	5000	< LOQ	2.62/7.87	Pass	Toluene	890	ND	0.0884/0.867	Pass
Ethyl acetate	5000	ND	0.314/2.30	Pass	Trichloroethylene	1	ND	0.0181/0.146	Pass
Ethylene oxide	1	ND	0.154/0.581	Pass	o-Xylene	ND	ND	0.101/0.860	N/A
Ethyl ether	5000	ND	1.19/3.56	Pass	p- and m-Xylene	ND	ND	0.116/1.72	N/A
Heptane	5000	ND	0.690/2.87	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Aug 26, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	0.2	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.2	ND	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Aug 26, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.96/8.98	N/A	Aflatoxin G2		ND	2.07/6.26	N/A
Aflatoxin B2		ND	3.36/10.2	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.73/5.25	N/A	Ochratoxin A	20	ND	4.41/13.4	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Aug 26, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0602/0.181	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					



PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Aug 26, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Methiocarb	Any amt	ND	0.00245/0.0300	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methomyl	1	ND	0.00879/0.0300	Pass
Acephate	0.1	ND	0.00743/0.0300	Pass	Mevinphos	Any amt	ND	0.00772/0.0300	Pass
Acetaminocyl	0.1	ND	0.0150/0.0456	Pass	Myclobutanil	0.1	ND	0.00707/0.0300	Pass
Acetamiprid	0.1	ND	0.00496/0.0300	Pass	Naled	0.1	ND	0.00849/0.0300	Pass
Aldicarb	Any amt	ND	0.00838/0.0300	Pass	Oxamyl	0.5	ND	0.00746/0.0300	Pass
Azoxystrobin	0.1	< LOQ	0.00530/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00851/0.0300	Pass
Bifenazate	0.1	ND	0.00706/0.0300	Pass	Permethrin	0.5	ND	0.00190/0.0300	Pass
Bifenthrin	3	0.144	0.00439/0.0300	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Boscalid	0.1	ND	0.00809/0.0300	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.00604/0.0300	Pass	Phosmet	0.1	ND	0.00511/0.0300	Pass
Carbofuran	Any amt	ND	0.00538/0.0300	Pass	Piperonylbutoxide	3	ND	0.00267/0.0300	Pass
Chlorantraniliprole	10	ND	0.00883/0.0300	Pass	Prallethrin	0.1	ND	0.0235/0.0711	Pass
Chlorpyrifos	Any amt	ND	0.0152/0.0460	Pass	Propiconazole	0.1	ND	0.00909/0.0300	Pass
Clofentezine	0.1	ND	0.00206/0.0300	Pass	Propoxur	Any amt	ND	0.00780/0.0300	Pass
Coumaphos	Any amt	ND	0.00393/0.0300	Pass	Pyrethrins	0.5	ND	0.00278/0.0300	Pass
Daminozide	Any amt	ND	0.0176/0.0534	Pass	Pyrethrins Cinerin I		ND		N/A
Diazinon	0.1	ND	0.00475/0.0300	Pass	Pyrethrins Cinerin II		ND		N/A
Dichlorvos	Any amt	ND	0.0182/0.0550	Pass	Pyrethrins Jasmolin I		ND		N/A
Dimethoate	Any amt	ND	0.00592/0.0300	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethomorph	2	ND	0.00454/0.0300	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	0.00610/0.0300	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	0.00437/0.0300	Pass	Pyridaben	0.1	ND	0.00231/0.0300	Pass
Etoxazole	0.1	ND	0.00365/0.0300	Pass	Spinetoram	0.1	ND	0.00119/0.0300	Pass
Fenhexamid	0.1	ND	0.0113/0.0342	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	0.00415/0.0300	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenpyroximate	0.1	ND	0.00396/0.0300	Pass	Spinosad	0.1	ND	0.000830/0.0300	Pass
Fipronil	Any amt	ND	0.0165/0.0500	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Flonicamid	0.1	ND	0.0115/0.0350	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fludioxonil	0.1	ND	0.0119/0.0362	Pass	Spiromesifen	0.1	ND	0.00894/0.0300	Pass
Hexythiazox	0.1	ND	0.00124/0.0300	Pass	Spirotetramat	0.1	ND	0.00808/0.0300	Pass
Imazalil	Any amt	ND	0.00898/0.0300	Pass	Spiroxamine	Any amt	ND	0.00555/0.0300	Pass
Imidacloprid	5	ND	0.0109/0.0331	Pass	Tebuconazole	0.1	ND	0.00605/0.0300	Pass
Kresoxim-methyl	0.1	ND	0.00708/0.0300	Pass	Thiacloprid	Any amt	ND	0.00506/0.0300	Pass
Malathion	0.5	ND	0.00313/0.0300	Pass	Thiamethoxam	5	ND	0.00760/0.0300	Pass
Metalaxyl	2	0.0693	0.00467/0.0300	Pass	Trifloxystrobin	0.1	ND	0.00293/0.0300	Pass

